

Setting change for the Standard Edition use

① Start up the Standard edition

The screenshot displays the INTERGLAD 7 software interface. The main window, titled "INTERGLAD 7: Main", features a menu bar with "File", "Tools", and "Help". Below the menu bar is a toolbar with several icons, including a magnifying glass icon circled in red. The main content area shows the "International Glass Database System" logo and the text "INTERGLAD Ver. 7 NEW GLASS FORUM". Below this, it reads "Glass Property & Structure Database" and "INTERGLAD 7.6 (ver.7.6.0.0.04)". A list of buttons is visible: "Search Property Data", "Property Prediction", "User Data (Property Data)", "Search Structure Data", and "Exit". A text box on the right provides information about the system's history and features.

The terminal window, titled "INTERGLAD 7.6", shows the following output:

```
read preference data from file...
server url: http://61.194.5.20
http proxy:
http proxy:
https proxy:
socks proxy:
proxy user:
connect db...
open connection: http://61.194.5.20/gp/
open connection: jdbc:odbc:GP_LOCAL C:#INTERGLAD 7.0#GP_29_2016.mdb
open connection: jdbc:odbc:GP_USER C:#INTERGLAD 7.0#GP_user_75.waglad-0.5.mdb
open connection: http://61.194.5.20/gs/
open connection: jdbc:odbc:GS_LOCAL C:#INTERGLAD 7.0#GS_22_2016.mdb
open connection: jdbc:odbc:GS_USER C:#INTERGLAD 7.0#GS_user_75.mdb
read masterdata from server...
Glass Count DCNT comp meas measMethod measCatego struc stat shap syst char ds
omp meas measMethod struc data numb glas pat. elem STAT ATOM WEIT ATOMTABLE Rea
craw unit default_unit temp pressure
save masterdata...
user: ngf0023 true
save preference data...
user: ngf0023
access server: true
connect local db...
```

② Click the preference icon on the left

INTERGLAD 7: Information

International Glass Database System
INTERGLAD Ver. 7 NEW GLASS FORUM

重要なお知らせ (2017/03/01)
INTERGLAD Ver.7.4.1, Ver.7.5.0は、2017/03/31が利用期限となっています。
INTERGLAD Ver.7.6にアップデートをお願いします。
アップデートは、メイン画面のメニューバー【HELP】より マニュアル第3章Page7をご覧ください。
Important Information (2017/03/01)
INTERGLAD Ver.7.4.1, Ver.7.5.0 expires on 2017/03/31.
Please update to INTERGLAD Ver.7.6.
Please refer to Manual Chap.3 (Page 7).

重要なお知らせ (2015/06/01)
Java7のオラクル社による無償の公式アップデートが2015/4/30に終了したことに伴い、ユーザーのJavaの利用環境により以下の対応をお願いします。
[INTERGLAD使用時のJavaバージョン対応について改訂版 \(interglad7-java8.150601.pdf\)](http://www.interglad.jp/interglad7-java8.150601.pdf)
<http://www.interglad.jp/interglad7-java8.150601.pdf>
インターネット版を使用する場合、Java8に更新して使用されても問題ありませんが、Javaコントロールパネルのセキュリティタブで、例外サイトに <http://61.194.5.20> を追加してください。

INTERGLAD 7.6

```
read preference data from file...
server url: http://61.194.5.20
http proxy:
http proxy:
https proxy:
socks proxy:
proxy user:
connect db...
open connection: http://61.194.5.20/gp/
open connection: jdbc:odbc:GP_LOCAL C:%INTERGLAD 7.0%GP_29_2016.mdb
open connection: jdbc:odbc:GP_USER C:%INTERGLAD 7.0%GP_user_75.waglad-0.5.mdb
open connection: http://61.194.5.20/gs/
open connection: jdbc:odbc:GS_LOCAL C:%INTERGLAD 7.0%GS_22_2016.mdb
open connection: jdbc:odbc:GS_USER C:%INTERGLAD 7.0%GS_user_75.mdb
read masterdata from server...
Glass Count DCNT comp meas measMethod measCatego strc stat shap syst char ds
omp meas measMethod strc data numb glas pat. elem STAT ATOM WEIT ATOMTABLE f
crawl unit default_unit temp pressure
save masterdata...
user: ngf0023 true
save preference data...
user: ngf0023
access server: true
connect local db...
```

INTERGLAD 7: Preference

INTERGLAD: Preference

DB Site
 INTERGLAD Data
 (Server Local)
 User Data

Language
 English
 Japanese

Default Unit & Max Data
 Component Unit: mol%
 Property Unit: Common
 Max Data: 1000

Network Connection
 Direct Connection to the Internet:
 Proxy Configuration: HTTP Proxy: Port: Advanced

Server Database
 Server URL (Authentication): 61.194.5.20
 Server URL (Glass Property): 61.194.5.20/gp
 Server URL (Glass Structure): 61.194.5.20/gs

Local Database
 MDB File (Glass Property) (ODBC: GP_LOCAL): C:\INTERGLAD 7.0\GP_29_2016.mdb
 MDB File (Glass Structure) (ODBC: GS_LOCAL): C:\INTERGLAD 7.0\GS_22_2016.mdb

③ Change the URL of the Server Database to the new server's

User L

Search

Default Search Condition File
 File (Glass Property):
 File (Glass Property, Regression Analysis):
 File (Glass Structure):

Default Folder
 Folder (Open and Save Files): C:\INTERGLAD 7.0\open&save

INTERGLAD 7: Preference

INTERGLAD: Preference

DB Site

INTERDLAD Data
 (Server Local)
 User Data

Language

English
 Japanese

Default Unit & Max Data

Component Unit: mol%
 Property Unit: Common
 Max Data: 1000

Network Connection

Direct Connection to the Internet:
 Proxy Configuration: HTTP Proxy: _____ Port: _____ Advanced

Server Database

Server URL (Authentication): 153.121.91.149
 Server URL (Glass Property): 153.121.91.149/gp
 Server URL (Glass Structure): 153.121.91.149/gs

Local Database

MDB File _____
 MDB File _____

User Database

MDB File _____
 MDB File (Glass Structure) (ODBC: GS_USER): C:\INTERGLAD 7.0\GS_user_75.mdb Select

Default Search Condition File

File (Glass Property): _____ Select
 File (Glass Property, Regression Analysis): _____ Select
 File (Glass Structure): _____ Select

Default Folder

Folder (Open and Save Files): C:\INTERGLAD 7.0\open&save Select

OK Cancel

INTERGLAD 7: Information

International Glass Database System
INTERGLAD Ver. 7 NEW GLASS FORUM

重要なお知らせ (2017/03/01)
 INTERGLAD Ver.7.4.1, Ver.7.5.0は、2017/03/31が利用期限となっております。
 INTERGLAD Ver.7.6にアップデートをお願いします。
 アップデートは、メイン画面のメニューバー【HELP】より マニュアル第3章Page7をご覧の上、注
 意事項を確認し実施ください。
Important Information (2017/03/01)
 INTERGLAD Ver.7.4.1, Ver.7.5.0 expires on 2017/03/31.
 Please update to INTERGLAD Ver.7.6.
 Please refer to Manual Chap.3 (Page 7).

重要なお知らせ (2015/06/01)
 Java7のオラクル社による無償の公式アップデートが2015/4/8に終了したことに伴い、ユーザーの
 Javaの利用環境により以下の対応をお願いしています。
[INTERGLAD使用時のJavaバージョン対応について改訂版](#) (interglad7-java8.150601.pdf)
<http://www.interglad.jp/interglad7/interglad7-java8.150601.pdf>
 インターネット版を使用する場合、Java8に更新して使用されても問題ありませんが、Javaコント
 ロールパネルのセキュリティタブで、例外サイトに <http://61.194.5.20> を追加してください。

```

INTERGLAD 7.6
read preference data from file...
server url: http://61.194.5.20
http proxy:
http proxy:
https proxy:
socks proxy:
proxy user:
connect db...
open connection: http://61.194.5.20/gp/
open connection: jdbc:odbc:GP_LOCAL C:#INTERGLAD 7.0#GP_29_2016.mdb
open connection: jdbc:odbc:GP_USER C:#INTERGLAD 7.0#GP_user_75.waglad-0.5.mdb
open connection: http://61.194.5.20/gs/
open connection: jdbc:odbc:GS_LOCAL C:#INTERGLAD 7.0#GS_22_2016.mdb
open connection: jdbc:odbc:GS_USER C:#INTERGLAD 7.0#GS_user_75.mdb
read masterdata from server...
Glass Count DCNT comp meas measMethod measCatego strc stat shap syst char ds
omp meas measMethod strc data numb glas pat. elem STAT ATOM WEIT ATOMTABLE
craw unit default_unit temp pressure
save masterdata...
user: ngf0023 true
save preference data...
user: ngf0023
access server: true
connect local db...
  
```

④ After changing the URL of the Server Database, Click OK

Windows taskbar showing system tray icons and a clock displaying 13:21 on 2017/04/14 (Friday).